

# Product Safety and Conformity Representative (PSCR)

## **Objetives**



- 1 Understand what Product Safety and Conformity are
- 2 To know Safety and Product Conformity requirements
- 3 Product Safety Application in the Supply Chain

## **Agenda**



- 1. Background
- 2. Key Concepts
- 3. Why to assign a product safety and conformity Representative (PSCR)
- 4. Responsibility and Competences of a PSCR
- 5. Product integrity during it's life cycle
- 6. Product Liability Requirements for Manufacturers





1 BACKGROUND

#### **Background**



The automotive industry is shifting gears. Global disruption, technological advances, and changing consumer behaviors are altering the auto industry on many levels all at once.


OEM's and their suppliers when manufacturing or assembling automotive parts are responsible for the quality of the product and its performance in the field.



5

## **Background**





NHTSA Recalls Trend 1997 - 2017 chart

The increase in recalls, complexity of vehicles and compliance with government requirements have led to greater attention to the safety that a car offers.



2

KEY CONCEPTS



PRODUCT SAFETY.



PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers

Versión 1



PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers

Versión 1

PRODUCT CONFORMITY.



- PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers
- PRODUCT CONFORMITY. All processes, products and services provided must comply with the applicable legal and regulatory requirements of the exporting country, importing country, and the country of destination specified by the customer.



- PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers
- PRODUCT CONFORMITY. All processes, products and services provided must comply with the applicable legal and regulatory requirements of the exporting country, importing country, and the country of destination specified by the customer.
- PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR).-




- PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers
- PRODUCT CONFORMITY. All processes, products and services provided must comply with the applicable legal and regulatory requirements of the exporting country, importing country, and the country of destination specified by the customer.
- PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR).- A person responsible for the safety of the product and checks that the legal and regulatory requirements of the same are met.
  - PSCR (Responsible for Product Safety and Compliance) is a recent evolution of the PSB (Responsible for Product Safety)



- PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers
- PRODUCT CONFORMITY. All processes, products and services provided must comply with the applicable legal and regulatory requirements of the exporting country, importing country, and the country of destination specified by the customer.
- PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR).- A person responsible for the safety of the product and checks that the legal and regulatory requirements of the same are met.
  - PSCR (Responsible for Product Safety and Compliance) is a recent evolution of the PSB (Responsible for Product Safety)
- PRODUCT INTEGRITY (PI) .-



- PRODUCT SAFETY. Standards related to the design and manufacture of products to ensure that they do not represent harm or danger to customers
- PRODUCT CONFORMITY. All processes, products and services provided must comply with the applicable legal and regulatory requirements of the exporting country, importing country, and the country of destination specified by the customer.
- PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR).- A person responsible for the safety of the product and checks that the legal and regulatory requirements of the same are met.
  - PSCR (Responsible for Product Safety and Compliance) is a recent evolution of the PSB (Responsible for Product Safety)
- PRODUCT INTEGRITY (PI) .- Product safety and conformity





#### **Product Safety**







In average 41.6 million vehicles with 56 million defective Air Bags

#### **Product Conformity**



ámbito.com

ECONOMÍA FINANZAS POLÍTICA NEGOCIOS OPINIÓN LIFESTYLE

#### El "dieselgate" ya le costó €30.000 millones a Volkswagen: ahora negocia acuerdo

Se trata del primer gran juicio contra la automotriz por el fraude de los motores diésel. El fabricante está acusado de haber instalado un sistema informático que hacía que sus vehículos diésel parecieran menos contaminantes de lo que en realidad eran.










➤ GOVERNMENT AGENCIES. The **governments** of the countries through their **dependencies** in charge of the Safety of Motor Vehicles submit the **regulations and standards of Vehicle Safety and are in charge of monitoring its compliance**.





WHY TO ASSIGN A PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR)

## WHY TO ASSIGN A PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR)



Rules, regulations, contractual requirements ...



International
Automotive
Task
Force

New IATF 16949 (2016) content

4.4.1.2 Product safety



IATF 16949 – 4.4.1.2 Product Safety.

The organization must have a documented process for managing product safety, related to products and manufacturing processes.

**VDA – Product Integrity Manual** 

## WHY TO ASSIGN A PRODUCT SAFETY AND CONFORMITY REPRESENTATIVE (PSCR)



- Complex Technology.
- Flexibility and Quality in Manufacturing sites.
- Accelerate the development cycles.
- Security Expectations of Customers and Legislators.
- More demanding laws and regulations.



## **Non-Compliance potential impact**



- Human lives at risk
- Generate loss of car primary function
- Create part assembly problems
- Civil Liability and damages to third parties
- Generate expenses to the company (fines)
- Loss of Company prestige image










4


RESPONSIBILITY AND COMPETENCES OF A PSCR

## Responsibility of the company





Classic business structure in terms of responsibility



Corporate overall **responsibility** is under **Top Management** duty

Because management CAN NOT perform individual tasks / responsibilities can be delegated.

## **Competencies related to PSCR**



- Ideally not a new employee
- Have skills such as problem management, assertiveness
- Ability to negotiate with government and regulatory bodies
- Sufficient resources to carry out the obligations
- Understanding / Sensitivity to the scope of responsibility



## **PSCR Qualification**




	Problem solving methods Market supervision Obligation of information on product safety to authorities or customers Product safety and responsibility		Product safety prevention Product tracking Product Knoweledge Ensure quality prevention Document processing
*	Customer specific requirements (security)		Annual Control of the
*	Knowledge of specific products of the company		
*	Product traceability, verification, elimination and handling of non-conforming products		
>	Identification of discrepancies related to product safety		
>	Guidelines for internal and external communication in the event of a product safety event		
>	Risk management and analysis		
>	Management of safety-related product discrepancies, including conclusion		
>	Learned lessons		
	Specific Requirements		➤ Specific Process

Versión 1

## Information flow, steps of a notification





Decision-Making Committee, which is made up of the following functions:


- Quality
- > Production
- ➤ Product Safety
- ➤ Product Conformity
- > Product development
- > Sales
- ➤ Logistics
- > Customer service
- ➤ Legal



5

PRODUCT INTEGRITY DURING ITS LIFE CYCLE







- Design and production approvals
- Functional Specifications Based on Lessons Learned
- Selection of products, assemblies or functional groups from a PI perspective

#### REQUIREMENTS PHASE

Determine compliance with product legal requirements and the reasonable end customer safety expectations

DEVELOPMENT PHASE

PRODUCTION PHASE

**USE PHASE** 

Reaction to the risks of the product in the field

Market Monitoring



- Design and production approvals
- Functional Specifications Based on Lessons Learned
- Selection of products, assemblies or functional groups from a PI perspective
- Products used with a similar context
- Creation of PI requirements and their adaptation to specific products
- Use appropriate processes to ensure compliance with Laws and Regulations
- PI Traceable and documented

Market Monitoring

#### REQUIREMENTS PHASE

Determine compliance with product legal requirements and the reasonable end customer safety expectations

#### DEVELOPMENT PHASE

PRODUCTION PHASE

**USE PHASE** 

Reaction to the risks of the product in the field



- Design and production approvals
- Functional Specifications Based on Lessons Learned
- Selection of products, assemblies or functional groups from a PI perspective
- Products used with a similar context
- Creation of PI requirements and their adaptation to specific products
- Use appropriate processes to ensure compliance with Laws and Regulations
- PI Traceable and documented

- Line Walk
- CoP Conformity of product / Legal Requirements
- PI indicators
- PI training to the plant

Market Monitoring

REQUIREMENTS PHASE

Determine compliance with product legal requirements and the reasonable end customer safety expectations

DEVELOPMENT PHASE PRODUCTION PHASE

**USE PHASE** 

Reaction to the risks of the product in the field



- Design and production approvals
- Functional Specifications Based on Lessons Learned
- Selection of products, assemblies or functional groups from a PI perspective
- Products used with a similar context
- Creation of PI requirements and their adaptation to specific products
- Use appropriate processes to ensure compliance with Laws and Regulations
- PI Traceable and documented

- Line Walk
- CoP Conformity of product/ Legal Requirements
- PI indicators
- PI training to the plant

Market Monitoring

#### REQUIREMENTS PHASE

Determine compliance with product legal requirements and the reasonable end customer safety expectations

DEVELOPMENT PHASE PRODUCTION PHASE

**USE PHASE** 

Reaction to the risks of the product in the field

- Tracking the product until its recycling
- Market Monitoring
- Warranty Follow-up



- Design and production approvals
- Functional Specifications Based on Lessons Learned
- Selection of products, assemblies or functional groups from a PI perspective
- Products used with a similar context
- Creation of PI requirements and their adaptation to specific products
- Use appropriate processes to ensure compliance with Laws and Regulations
- PI Traceable and documented

- Line Walk
- CoP Conformity of Product / Legal Requirements
- PI indicators
- PI training to the plant

Market Monitoring

#### REQUIREMENTS PHASE

Determine compliance with product legal requirements and the reasonable end customer safety expectations

DEVELOPMENT PHASE PRODUCTION PHASE

**USE PHASE** 

Reaction to the risks of the product in the field

- Tracking the product until its recycling
- Market Monitoring
- Warranty Follow-up

## RISK ASSESSMENT



6

#### PRODUCT LIABILITY REQUIREMENT FOR MANUFACTURERS



1. Identify and monitor legal and regulatory requirements on the integrity of the product, as well as its customer information.





- 1. Identify and monitor legal and regulatory requirements on the integrity of the product, as well as its customer information.
- 2. Identify the characteristics related to product safety, both by the customer and by the supplier.





- 1. Identify and monitor legal and regulatory requirements on the integrity of the product, as well as its customer information.
- 2. Identify the characteristics related to product safety, both by the customer and by the supplier.
- **3.** Approve the safety requirements of the product and its controls in Control Plans, design FMEA and process FMEA.





- 1. Identify and monitor legal and regulatory requirements on the integrity of the product, as well as its customer information.
- 2. Identify the characteristics related to product safety, both by the customer and by the supplier.
- **3.** Approve the safety requirements of the product and its controls in Control Plans, design FMEA and process FMEA.
- 4. Identify the controls at the points of manufacture of the characteristics related to the integrity of the product.






- 1. Identify and monitor legal and regulatory requirements on the integrity of the product, as well as its customer information.
- 2. Identify the characteristics related to product safety, both by the customer and by the supplier.
- **3.** Approve the safety requirements of the product and its controls in Control Plans, design FMEA and process FMEA.
- 4. Identify the controls at the points of manufacture of the characteristics related to the integrity of the product.
- **5. Define reaction plans** to address any deviation from Product Integrity.









 Appoint those responsible for decisionmaking and information flow in the escalation process (including senior management and, where appropriate, customer notification)






- Appoint those responsible for decisionmaking and information flow in the escalation process (including senior management and, where appropriate, customer notification)
- 7. Guarantee the correct training (competence) for the people involved in product safety.






- Appoint those responsible for decisionmaking and information flow in the escalation process (including senior management and, where appropriate, customer notification)
- 7. Guarantee the correct training (competence) for the people involved in product safety
- 8. Define a control of changes in which product integrity characteristics are involved, as well as the evaluation of any potential effect that such change could have.





- Appoint those responsible for decisionmaking and information flow in the escalation process (including senior management and, where appropriate, customer notification)
- 7. Guarantee the correct training (competence) for the people involved in product safety
- 8. Define a control of changes in which product integrity characteristics are involved, as well as the evaluation of any potential effect that such change could have.
- Have clear communication with the entire supply chain of requirements regarding product safety.





- Appoint those responsible for decisionmaking and information flow in the escalation process (including senior management and, where appropriate, customer notification)
- 7. Guarantee the correct training (competence) for the people involved in product safety
- 8. Define a control of changes in which product integrity characteristics are involved, as well as the evaluation of any potential effect that such change could have.
- Have clear communication with the entire supply chain of requirements regarding product safety.
- 10. **Manage** the **lessons learned** derived from product safety and that are available for new products.

## Bocar and Customers PSCR Requirements in Supply Chain



- A. Definition of at least 2 people as responsible for the Safety and Conformity of the product
- B. Designation of roles and responsibilities
- C. Send the contact details of the PSCR and the Plant Management
- D. In case of any change in PSCR, notify Bocar customer
- E. Availability of emergency care 24/7
- F. No language barrier (Spanish / English)
- G. Product Integrity Training by a qualified PSCR (qualification by a VDA-QMC associate desirable)
- H. Technical Training (knowledge of the product / process, problem solving methodology, etc.)
- I. Knowledge of Product Safety and Responsibility Laws
- J. Implementation of Indicators for the evaluation of the integrity of the product

Versión 1

## **Questions**



